

#### Certificate of Satisfactory Completion

#### Repair (Major) - Residential - New

186-24-000183-PRMT

Clatsop County Onsite 820 Exchange Street Astoria, Oregon 97103 503-325-9302 Fax: 503-325-9303

envhealth@clatsopcounty.gov

Website:

https://clatsopcounty.gov/publichealth/page/onsite-septic-system-progra

Date Certificate Issued: 10/10/2024

Work Description: Major Repair; tank and drainfield

Applicant:

Helligso Construction Co

Address:

PO Box 147

Astoria OR 97103

Phone:

503.791.4546

Email:

john@helligsoconstruction.com

Address:

Installer License: 37547

92859 Walluski Loop Road

Astoria OR 97103

Primary Contractor: Robert Martens Excavation, Ltd.

Phone:

5033250615

Email:

martens92861@charter.net

Owner: Address: DAVID TETHEROW BENZ

16170 SW COOPER LANE TIGARD OR 97224

Parcel: 408080000300 - Primary

Township:

Range: 08

Section:

79723 Hamlet Rd, Seaside, OR 97138

8

Lot Size:

1.45 acres

Water Supply:

**Property Address:** 

Well

Zoning:

N/A

City/County/UGB:

County

Land Use Approval:

N/A

**Category of Construction:** 

Single Family Dwelling

	Existing		Proposed
Use of Structure:	tearing down 2 bedroo	m new 4	bedroom home
	cabin; building		
Number of Bedrooms:	2		4
System Specifications			
Type:	Standard		
Max Peak Design Flow:	450 gpd.	Proposed Flow:	450 gpd
Min Septic Tank Volume:	1000 gal.	Min Dosing Tank Volume:	500 gal
Drain Field Specifications			
Drain Field Type:	Standard	System Distribution Type:	Seria
Drainfield Sizing:	N/A	Distribution Method:	Seria
Media Type:	Rock/Pipe	Media Depth:	12 in
Trench Length:	225 linear ft.	Rock Above Pipe:	2 in
Total Rock Depth:	12 in.	Rock Below Pipe:	6 in
Max Depth:	30 in.	Undisturbed Soil BetweenTrenches:	8 ft
Min Depth:	24 in.	Capping Fills-Min Depth of Fill Materia	al: N/A
Special Requirements			
Groundwater Type:	Temporary	Groundwater Depth:	N/A
Pump to Drainfield Required:	Yes	Filter Fabric on Top of Drain Media:	Yes

9/30/24


# Final Inspection Request and Notice - Septic ID: 186-24-000183-PRMT

Pursuant to the requirements within ORS 454.665, OAR 340-071-0170 and OAR 340-071-0175, the system installer and/or the permittee must notify the Department of Environmental Quality (or its authorized Agent) when the construction, alteration or repair of a system for which a permit was issued is completed and prior to backfilling or covering the installation. The Department (or Agent) has 7 days to perform an inspection of the completed construction/installation following the official notice date, unless the Department (or Agent) elects to waive the inspection and authorizes the system to be backfilled. Receipt and acceptance of this completed form by the Department (or Agent) establishes the official notice date of your request for the pre-cover inspection. Faxed copies are acceptable for inspection request purposes only. Originals must be received before a Certificate of Satisfactory Completion is issued. Please complete sections 1 through 4 on the form and return it to the office that issued the permit. Forms that are determined to be incomplete will be returned.

are determined to be in	complete	will be re	turned.						and the permit. I of	This that	
SECTION 1: Owner/Permittee Information: Twnshp: 4 Range: 08 Sect: 8										Sect: 8	
Name: DAVID T	TETHEROW BENZ							00300			
Property 79723 HAMLET RD, SEASIDE, OR 97138 Address:											
SECTION 2: Syste	m Com	ponent	Specifi	ication	s:						
A. Tanks/Pumps	Vertication <sup>3</sup>										
Tanks(1) Volume:	500	, Co	ompartme	ents: 8	?	Manufacturer:			7 000 1	Dale:	
Tanks(2) Volume:			ompartme	ents:		Manufacturer:				Date:	
Pump(s) HP://2	Model/Ma	anuf.PF	10			Float(s)Type(1)	):	Model/Manu	f. /-"p" /	1-N"/1-C	
						Float(s)Type(2)	:	Model/Manu	f. ORenc		
B. Piping											
Effluent Sewer (	tank to c	drainfield)	Yes	No	Diam	neter:	ASTM	#/Other:		Length:	
Pressu	ire Trans	sport Pipe	Yes.x	No	Diam	neter: 1 inch	ASTM#	Other: 178	es-	Length: 340 Ft	
C. Secondary Treatment	Unit:	-				· · · · ·	1	. , (	30	3/0 / 1	
Sand Filter**	Yes	No	Туре:					Cont	ainer Dimensions:		
Underdrain pipe	Diamete	er:	ASTM	#/Other:						Length:	
Manifold piping	Diamete	er:	ASTM	#/Other:						Length::	
Internal Pump	HP:		Modeli	Manufac	turer						
Floats(1)	Type:		Model/	Manufac	turer						
Floats(2)	Type:		Model/	Manufac	lurer						
ATT	Yes	No	Model:								
Certified Maint.	Provider	Name:									
Operation and Maint.	Contract	Received	? Yes	No	Т						
D. Drainfield Media	Cenual	Dina at all									
31		Pipe or alt	ernative?	,							
Distribution Box											
Drop Box		No	D:		120	THE STATE OF THE S					
Distribution Pipe	Yes	No	Diameter	:	AS	STM#/Other:			Le	ength:	
Comment									Clatsop Cou	nty Department	
									of Pub	lic Health	
*All Tanks(s) were tested for water-tightness after installation and passed in accordance with OAR 340-073-0025(3) te Waste Water Program  **Attach sieve analysis for Underdrain Media and Filter Sand											
Application ID: 186-24-000183-PRMT, Owner Name: DAVID TETHEROW BENZ											

#### SECTION 3 - As Built Plan

AS-BUILT PLAN OF THE CONSTRUCTED SYSTEM. Indicate the direction of NORTH. Show locations of all wells within 200 feet of the system. Show system setback distances from property lines, structures, wells, streams, etc.



# SECTION 4 - Construction was performed by (Signature Required)

I certify that the information provided on both pages of this document is correct and that the construction of this system was in accordance with the permit and the rules regulating the construction of onsite wastewater treatment systems (OAR Chapter 340, Divisions 71 and 73).

Owner/Permittee or Co	ertified Installer w/Certification	#: Print Name: RobeA M	antens			
Licensed Installer: Ye	s No License#: 3	7547	Certification#:	P.I 3:	38	
Owner/ Certified Signstaller:	gnature: RAEMS	Date	-27-24	Phone#:		
SECTION 5 - Offic	e Use Only:	Installer/Owr	IOT			
Notice Accepted Yes	No Date:	(Permitte Notifi	e) Yes	No	Dale:	
If No, Reason for Non				Clata	p County Departme	and
Acceptance				(	of Public Health	
				On-Site	e Waste Water Progr	ram
Comment	:			Approve		
				Permit N	10. 186-24-0	100183
				Date	9/30/29	



# Clatsop County Onsite Septic Program

820 Exchange St., Suite 100
Astoria, OR 97103
(503) 325-9302 phone
(503) 325-9303 fax
Lavilealth@xxx.clatsep.ot.as email

### **Septic Tank Decommission**

The Department of Environmental Quality rules require that all septic tanks be properly abandoned following hookup to a new septic system or when the tank is no longer in use. Please return the following form along with the pumping receipt to the Clatsop County Onsite Septic System Program.

Oregon Administrative Rule 340-071-0185 - Decommissioning of Systems

(2) Procedures for decommissioning

- a. Tanks, cesspools and seepage pits must be pumped by a licensed sewage disposal service to remove all septage.
- b. Tanks, cesspools and seepage pits must be filled with reject sand, bar-run gravel or other material approved by the agent, or the container must be removed and properly disposed.

Property Owner: David Benz		kunsyangan nesininas da 9 maranda keruman da Salahain Palairy Nah
Septic Tank Location: 79723 Hamlet F	3d Seoside or	27138
Legal Description: T 4 R 08s	_Lot _300	
Date Tank Pumped: 10-3-24		ventalen kennomentalussikkuli olitaistatiotikationis
$\Lambda M M$	License #: 378661	deninka eni johnalismostoskusi deskis ja joksalista kaskistaninka ka
By:(signature of licensed pumper)		
	al ne other approved material after h	eina
This septic tank was backfilled with sand, clean bar-run grav	el Ot Ottlet approved material arter o	с·''ъ
PATINA	Date:	
(signature of operator/owner)		
This septic tank was removed and properly disposed of.		
By	Date:	Statements attaches times interestations processed in the statement of the
(signature of operator/owner)		



# COMPLETE SEPTIC SERVICE

41092 ZIAK-GNAT CREEK LANE

ASTORIA, OREGON 97 503-458-6870 • Toll Free 1-888-74

"GUARANTEED LOWEST PRIC

Robert Marters

PHONE

- CAH

	ES"	745-6726	/103
DAIL	) •	726	
らん	) 3		
	•		

WE ALSO DO INSPECTIONS, INSTALLATIONS, AND REPAIRS **ADDRESS** 522.67 をする Seccide OK 97188

											T
PAYMENT DUE UPON RECEIPT OF THIS INVOICE TOTAL							That you			fump out a clean 1000 action	DESCRIPTION
AL									,	A	
				 	 	 		 		3	 AMOUNT

SERVICE CHARGE of 1 1/2% MONTHLY or 18% ANNUALLY on unpaid balance of 30 days or more past due. Title to goods sold is retained by Complete Septic Service until all charges, including labor, are paid in full. If an attorney's services are required to collect the goods sold or any amount due, reasonable attorney fees and court costs will be added.

Thank You

Ordered By

る の か の



Date issued: 9/11/24

# Septic Permit Repair (Major) - Residential - New 186-24-000183-PRMT

820 Exchange Street Astoria, Oregon 97103 503-325-9302

Clatsop County Onsite

Fax: 503-325-9303

envhealth@clatsopcounty.gov

Website:

https://clatsopcounty.gov/publichealth/page/ onsite-septic-system-program

Expiration date: 9/11/25

Primary contractor: Robert Martens Excavation, Ltd.

Astoria OR 97103

5033250615

92859 Walluski Loop Road

martens92861@charter.net

Work description: Major Repair; tank and drainfield

Applicant:

Helligso Construction Co

Address:

PO Box 147

Astoria OR 97103

Phone:

503,791,4546

Email:

john@helligsoconstruction.com

Owner:

**Business License:** 

DAVID TETHEROW BENZ

Address: 16170 SW COOPER LANE

Parcel: 408080000300 - Primary

TIGARD OR 97224

Property address: 79723 Hamlet Rd, Seaside, OR 97138

Township:

Range: 08

Section:

8

Proposed

Lot size: Zoning:

Action:

1.45 acres N/A

Water supply:

**Existing** 

Address:

Phone:

Email:

City/County/UGB:

Installer License: 37547

Well County

Land use approval:

N/A No County:

N/A

**Accessory Dwelling Unit:** 

New

Type of application:

Repair (Major) - Residential

System failing:

N/A

Septic tank last pumped:

N/A

Comments: new house and tank on lot #300; drainfield on lot #201

Category of construction:

Single Family Dwelling

Use of structure:	tearing down 2 bedroom ca	bin; building	new 4 bedroom home		
Number of bedrooms:	-	2	4		
System Specifications					
Type:	Standard	ATT description:	N/A		
Max peak design flow:	450 gpd.	Proposed flow:	450 gpd.		
Min septic tank volume:	1000 gal.	Min dosing tank volume:	500 gal.		
Drain Field Specifications					
Drain field type:	Standard	System distribution Ttpe:	Serial		
Drainfield sizing:	N/A	Distribution method:	Serial		
Media type:	Rock/Pipe	Media depth:	12 in.		
Trench length:	225 linear ft.	Rock above pipe:	2 in.		
Total rock depth:	12 in.	Rock below pipe:	6 in.		
Max depth:	30 in.	Undisturbed soil between trenches:	8 ft.		
Min depth:	24 in.	Capping fills-min depth of fill material:	N/A		

Special Requirements

#### CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION: Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)

ONS\_OnsitePermit\_pr 9/11/24: 3:43:22PM

#### Onsite Permit 186-24-000183-PRMT

Date issued: 9/11/24 Expiration date: 9/11/25 Work description: Major Repair; tank and drainfield

Stake out required:

No

Groundwater type:

Temporary

Groundwater depth:

N/A

Pump to drainfield reqd:

Yes

Filter fabric on top of drain media:

Yes

Have a copy of the approved plot plan and permit on site during construction and for all inspections. Submit a complete As-Built and Materials list form prior to final inspection on all construction-installation permits.

Modifications to the approved plan or proposed use need to be approved prior to installation. A construction-installation permit is valid for one year from the date of issuance.

All work is to conform to Oregon Administrative Rules, Chapter 340, Divisions 071 and 073. Make no changes in system location or specifications without written approval from the permit issuing agent.

Install with dry soil conditions.

Vehicular traffic and livestock must be restricted from the system area.

All roof drains must be directed away from the system area.

Meet all required setbacks.

A pre-cover inspection of the installed absorption facility (prior to backfill) is required.

A final inspection request and notice form including a detailed and accurate as-built plan of the constructed system and a list of all materials used in the construction of the system must be completed and submitted prior to requesting a final inspection.

Lucas Marshall, REHS

**Environmental Health Supervisor** 

9/11/24

Return To After Recording

David and Kristy Benz

16170 SW Cooper Lane

Tigard, OR 97224

RECEIVED
SEP 11 2024

CLATSOP CO. PUBLIC HEALTH



Recorded By: Clateon Co

202404890

97.00

Recorded By: Clatsop County Clerk

Transaction date: 9/11/2024 15:32:46

Deputy: gnelson

# of Pages: 3

#### EASEMENT, COVENANT AND SERVITUDE

WHEREAS David Tetherow Benz and Kristy Kay Benz, Trustees of the David Tetherow Benz and Kristy Kay Benz Living Trust ("GRANTOR") is the owner of the following

two lots (or parcels) of real property located in Clatsop County, Oregon:

#### Lot I: VACANT LAND; TAX MAP 408080000201

The North half of Government Lot 8 that lies East of the thread of the North Fork of the Nehalem River, and that portion of the South half of Government Lot 8 that lies Easterly of the thread of the North Fork of the Nehalem River and Northerly of the Northerly line of the easement 40 feet in width, granted to Crown Zellerbach Corporation by instrument recorded October 27, 1960, in Book 257, page 268, Deed Records Clatsop County, Oregon; EXCEPTING, however, such portion of the said North half of Government Lot 8 that lies Southerly of the Northerly line of the aforesaid easement granted Crown Zellerbach Corporation; AND ALSO EXCEPTING all that portion of said Government Lot 8 that lies within the boundaries of that tract of land conveyed to Robert A. Benz, et ux., by deed recorded December 31, 1956, in Book 238, page 523, Deed Records, Clatsop County, Oregon; All lying in Section 8, Township 4 North, Range 8 West of the Willamette Meridian, in Clatsop County, Oregon.

Lot II: 79723 HAMLET RD, SEASIDE, OR 97138; TAX MAP 408080000300

A tract of land Located in US Lot 8, Section 8, Township 4 North, Range 8 West of the Willamette Maridean described as beginning at a pint which is 3359.4 feet and west 231.5 feed from the SE corner of Section 8, T4N, R8W and running thence South 153.9 feet; thence S 71°54′W 256.1 feet; thence N59°54′ W 111.9 feet; thence N 16°33′ E, to a point which is S 86°52′ W 288.5 feet from the Point of Beginning; thence N 86°52′ E 288.5 feet, to the Point of Beginning, and containing 1.45 acres, more or less. ALSO: an Easement, for right of access, over the existing C.C.C. road, being a strip of land 20 feet wide, 10 feet on either side of a center line which begins at a point North 3195.1 feet, and West 211.5 feet from the SE Corner of Section 8, and runs thence S 71°54′ W 281.6 feet; and N 59°54′ W 360.4 feet, more or less, to the County road. SUBJECT TO: Reservation of water rights for mining, etc., in patent from the United States of America to Harry Hill, recorded in Vol. "44" of Deeds, Page 184, Records of Clatsop County, Oregon on 15 July, 1907, to which patent reference is hereby made.

WHEREAS GRANTOR has applied to the State of Oregon through the Department of Environmental Quality ("State" or "GRANTEE") for a permit to construct an individual onsite wastewater

David Tetherow Benz, Kristy Kay Benz, David Tetherow Benz and Kristy Kay Benz Living Trust

treatment system ("permit") on Lot I intended to serve Lot II; and

WHEREAS Oregon Administrative Rules (OAR) 340-71-130 requires for each lot or parcel different from but under the same ownership as the lot or parcel served, the owner of the property must execute and record in the county land title records, on a form approved by the department, an easement and a covenant in favor of the State of Oregon as a condition precedent to issuance of a permit authorizing the construction of a system on one lot intended to serve another lot;

#### EASEMENT

NOW THEREFORE, in consideration of the issuance of the permit to GRANTOR by the State, GRANTOR hereby conveys to the State, its successors and assigns, a perpetual non-exclusive easement in, upon, and running with Lots I and II allowing the state's officers, agents, employees and representatives to enter and inspect, including by excavation, the onsite wastewater treatment system on Lots I and II. This easement shall be terminated at such time as use of the individual onsite wastewater treatment system has ceased because the structures on Lot II are fully served by an adequate public sanitary sewer system or by another onsite wastewater treatment system located elsewhere. Upon request and a determination that adequate alternative service is available and in use, the State shall execute a recordable document terminating the easement.

#### **COVENANTS**

GRANTOR covenants and agrees not to convey any interest in either Lot I or Lot II that results in the severance of the common ownership of these Lots unless and until GRANTOR has granted or reserved a utility easement on Lot I benefiting Lot II, in accordance with OAR 340-071-0130. Said easement shall be nonexclusive, perpetual and appurtenant and shall be in a form acceptable to the State. The utility easement shall include the following terms:

- 1. Owners of Lot II may use Lot I for purposes of installing, operating and maintaining a drain field and related facilities for an individual onsite wastewater treatment system.
- 2. Lot I shall not be put to any conflicting use which would be detrimental to the permitted system or contrary to any law (including an Oregon Administrative Rule) applicable to the permitted system.

FURTHER, GRANTOR covenants that it shall include these covenants in any conveyance of either lot.


The GRANTOR and the State intend that these covenants shall run with the land and be binding on the GRANTOR'S heirs, successors and assigns.

David Tetherow Benz, Kristy Kay Benz, E	David Tetherow Benz and Kristy Kay Benz Living Trust
IN WITNESS WHEREOF, the GRANTOI	R executed this easement on this the 11th day of
STATE OF OREGON ) ss.  County of (112, 2024) ) )	DAVID TETHEROW BENZ Jun 3. C. KRISTY KAY BENZ JULY K. Benz TRUSTEES OF DAVID TETHEROW BENZ AND KRISTY KAY BENZ LIVING TRUST (GRANTOR)
Personally, appeared the above-nan acknowledged the foregoing instrument to	ned Mid MW histy Benz and be their voluntary act.
Before me:	
OFFICIAL STAMP  RACHEL ANNE HANKEL  NOTARY PUBLIC-OREGON  COMMISSION NO. 1024869  MY COMMISSION EXPIRES MAY 18, 2026	MULLUM HUMLA NOTARY PUBLIC FOR OREGON My Commission Expires: Www 18 20U
State of Oregon Acceptance on this the	
	rgent for the state of oregon,
Department of Environmental Quality.	
Lucas Marshall	$\frac{9/11/2024}{\text{Date}}$
Signature of DEO Agent	Date '

# Materials list 1500 Gal A.2 Conside Dosing-Septe tank with Risen had lios ORENEO 10 GPM Pump padage with SIRO control Pound - Boo tube pump unit Ertenn's plue Box Florts - 1" hose and value assemblie 350 Ft 1" POR SELT 40 TRANSPORT pipe with garen wine 225 Ft 44 Pent Pipe 25 yes DEO ORAN ROUL 225 X 3 Typan Filter Fabric

Robert Martens

< N



Clatsop County Onsite Septic Program

820 Exchange St., Suite 100 Astoria, OR 97103 (503) 325-9302 phone (503) 325-9303 fax

envhealth@clatsopcounty.gov email

August 7, 2024

# IMPORTANT DOCUMENT – PLEASE READ CAREFULLY -This is not a construction permit-

RE: Repair Evaluation Results – Site Approval with Conditions

Subject: 186-24-000183 - Tax Lot Map ID - 408080000300 Parcel Size: 1.45 acre

Property Address: 79723 Hamlet Rd, Seaside, OR 97138

The above-described property was evaluated for suitability of an onsite wastewater disposal system on the following date: 8/2/24. Based on this evaluation, the following on-site sewage disposal systems are approved:

Replacement System: Standard System – 225 Linear Ft disposal field

Details of the repair evaluation are included in the Site Evaluation Report that is enclosed. The Site Evaluation Report also includes more specific information and further conditions of site approval.

#### Next Step - Applying for a Construction/Installation Permit

When you are ready to proceed with system construction, contact this office to get a permit application packet. The permit must be issued by our office before you can start construction.

#### Request for Site Evaluation Report Review or Request for Variance

If you believe that an error was made in the evaluation of your property, you may apply for a Site Evaluation Report Review with Oregon DEQ. If you would like to apply for a Variance from one or more of the On-Site Sewage Disposal rules, you may apply for a Variance with Oregon DEQ. If you are interested in either of these options, please contact our office for further details before you proceed.

If you have any questions regarding this report, please contact me at 503-338-3687.

Regards,

Lucas Marshall, REHS

Environmental Health Supervisor Clatsop County Onsite Septic Program

Lucas Marchel

lmarshall@clatsopcounty.gov

#### **Approved Systems**

Based on the evaluation of the site and soil conditions, the following onsite wastewater systems are approved for lot 408080000300.

Replacement System: System Type: Standard System

Minimum Septic Tank Size: 1000 gallons

Minimum Dosing Tank Size: 500 gallons - Pump Required

Distribution Method: Serial Distribution

Minimum Length of Disposal Trenches: 225 Linear Ft. Trench Depths: Min: 24 inches Max: 30 inches

Attached is the Site Evaluation Field Worksheet, which show the approved areas and additional details of the site visit.

#### **Conditions of Site Approval**

- 1. This site is approved for the type of disposal system described above. Peak sewage flow into the system is limited to a maximum of 450 gallons per day, with an average sewage flow of not more than 225 gallons per day. This is normally sufficient to serve a single-family dwelling with a maximum of 4 bedrooms. Premature failure of the treatment system may occur if either of these flow quantities is exceeded. If for some reason you expect your domestic household water use may exceed these flows, it may be advisable to increase the size of the treatment system.
- 2. Any alteration of natural soil conditions (i.e. cutting or filling) in the acceptable area may void this approval.
- 3. Both the initial and replacement disposal areas are to be protected from traffic, cover, development, or other potential disturbance of natural soil conditions.
- 4. The area must not be subjected to excessive saturation due to, but not limited to, artificial drainage of ground surfaces, roads, driveways, and building down spouts.
- 5. This approval is given on the basis that the parcel described above will not be further partitioned or subdivided.
- 6. Placement of a well within 100 feet of the approved areas may invalidate this approval.
- 7. A physical stakeout of both initial and replacement disposal areas may be required prior to issuance of a permit to construct the approved system.

This site approval is valid until the system approved above is constructed in accordance with a construction installation permit. Technical rule changes shall not invalidate this approval, but may require use of a different type of system. The site approval runs with the land and will automatically benefit subsequent owners.

Attachment: Field Worksheet

#### Site Evaluation - Field Worksheet


Design flow: 450 gpd # of bedrooms: 4

Replacement System:		
✓ - Standard		
- Capping Fill		
☐ - ATT		
Sand Filter - Bottomless		
Sand Filter - Conventional		
Tank:		
☐ - 1,000 gal.		
1,500 gal.		
$\square$ - 2 compartment tank – 1500	gal.	
Effluent pump required		
□ - Effluent filter required		
Distribution Method:		
<u> </u>	urized	
Absorption Disposal Facility: 225 Linear Ft		
Maximum Trench Depth:	30	
Minimum Trench Depth:	24	

Pit	<u>Depth</u>	<u>Texture</u>	Color	Roots	<u>Structure</u>	Comments: (ESD, Redox)
#1	0-12" 12-60"	SiL L	10YR 3/2 10YR 3/4	3-f,m,c 1-f,m,c	2-M-SBK 2-M-SBK	ESD = 60" No redox No water Gravels/cobbles 12-60"
Landscape Notes:		Slope:	Aspect:		Groundwater Type:	
Terrace, l	Terrace, Hillslope 3-5%		310*NW		Temporary	

- 1. A complete site plan with scaled drawing indicating all needed measurements and components is required before construction permit can be issued. \*Same Owner Easement Required\*
- 2. System Description: Approval is for a Standard System with a 225 linear feet of disposal area for up to 4 bedrooms.
- 3. Install in area of test pit. See field worksheet for further details.
- 4. Maintain all required setbacks to wells, surface waters, road cuts, escarpments, property lines, utilities, and foundations. 100ft setback to well, 100ft to creek, 10ft setback to property lines, foundations, and utility lines.
- 5. Any alteration of natural soil conditions (i.e. cutting or filling) in the approved area may void this approval.
- 6. Both the initial and replacement disposal areas are to be protected from traffic, cover, development, or other potential disturbance of natural soil conditions.
- 7. The area must not be subjected to excessive saturation due to, but not limited to, artificial drainage of ground surfaces, roads, driveways, and building down spouts.
- 8. This approval is given on the basis that the parcel described above will not be further partitioned or subdivided.
- 9. All system components are required to be installed by a licensed onsite septic installer.

TITE EVALUATION FIELD WORKSHEET Tax Reference: 500 Parcel Size: 1,45 acre Range: 5 Section:\_ S Township: Evaluator: Lucas Marsha Benz Owner/Applicant:\_ 8/2/24 Application Number: 186-24-06018-Inspection Date(s):\_\_\_ SOIL MATRIX COLOR AND CONDITIONS ASSOCIATED WITH SATURATION. DEPTH **TEXTURE** ROOTS, STRUCTURE, EFFECTIVE SOIL DEPTH, ETC... 10YR 3/2 0-12" 12-60" 10YR 3/4 Pit 1 Pit 2 Pit 3 Pit 4 Landscape Notes: Terrace Slope: 3-5 3/6 Aspect: 3/D ° NW Groundwater Type: Tomporary Other Site Notes: SYSTEM SPECIFICATIONS Design Flow: 450 gpd Initial System: ATT Treatment Standard: \_\_\_\_\_ linear feet/square feet Maximum Depth: \_\_\_\_\_ inches Minimum Depth: \_\_\_\_\_ inches Disposal Facility: Replacement System: Standard System: ATT Treatment Standard: Disposal Facility: 2.7.5 linear feet square feet Maximum Depth: 30 inches Minimum Depth: 24 inches ATT Treatment Standard: \_\_\_\_\_ Special Conditions: Same owner easement required. Maintain





# Clatsop County Environmental Health/Onsite Septic Program (503) 325-9302 phone

**Clatsop County Onsite Septic Program** 

EnvHealth@co.clatsop.or.us email

#186-24.000183

# **Application for Onsite Sewage Treatment System**

3 42 7 L. C. L. Q.	1 1 1	A. Property	Owner Information					
David and Kristy	/ Benz		ANE TIGARD OR 9722	4 503-804-2	2740			
Name Benz Living	Trust	Mailing Address (Street, PC	Box, City, State, Zip)	Phone Nur	nber			
	· 人。	B. Legal P	roperty Description					
4N	8W	83	300 / 201	1651	1.45			
Township	Range	Section	Tax Lot	Tax Account Number	Acreage or Lot Size			
Clatsop	louse & -	tank on Lot #300	& drain field	1 on 10+ \$ 20	)(			
Cou	unty	Su	bdivision Name	Lot	Block			
Property Address:	79723 Ha	amlet RD, Seaside, OR 9713	8					
Property Address.	-		(Street, City, State, Zip)					
Directions to Prop	HV	V 26 to HW 53 to Hamlet RD	), Hamlet RD 6 miles to	o Cougar MT RD, Firs	st driveway on North			
Directions to 110p			# 4V 3 c k % 1		4			
		C. Existing Facility / Prop	oosed Facility / Water In	formation	<b>第4年金融(4.7/2/年</b> )			
Existing Facility	053	ving down for Propose		Water Sup	nly			
Single Family	Residence	X Sin	gle Family Residence	☐ Public	P-1			
200	abin	new >	A polum		ame Moll			
Number of Bedroom	ns	Number	r of Bedrooms	X Private	Well			
☐ Other		□ Oth	ner	VV	ell, Spring, Shared			
				HOLE IN THE STATE OF				
_			e of Application					
☐ Site Evaluatio		☐ Renewal Perm		Authorization Notice				
☐ Construction		☐ Existing Syster						
Permit Repai		☐ Permit Transfe ☐ Permit Reinsta		<ul> <li>☐ Replacing a Mobile Ho</li> <li>☐ Mobile Home or House</li> </ul>	ome or House with Another			
Major → un     Minor	r s Ale	☐ Compliance Re			on of One or More Bedrooms			
☐ Alteration Pe	rmit		soora nevicu	☐ Personal Hardship	on or one of more begrooms			
☐ Major				☐ Temporary Housing				
☐ Minor				Other-Please Specify				
		ments are not included with this a		ed to you as incomplete.	Post a flag or sign with			
A march and a second position and a second		ance to the property. Flag and nur the information I have furnished is		Clatsop County and its' au	uthorized agents'			
		described property for the sole p		,	and agents			
'home	3. Day			7/29/24				
Signature				Date				
David T. Benz			(503) 804-2740	dkbe	enz@comcast.net			
Applicant's Name (Plea	se Print Legibly)		Applicant's Phone	Applicat	nt's E-Mail Address			
16170 S.W. C	ooper Lane	e, Tigard, OR 97224						
Applicant's Mailing Add	dress							
Applicant is the	☑ Owner	☐ Authorized Representativ	e Licensed Se	ptic Installer				
		☐ Authorization Attached		of Martens	#37547			
	7	6 V 1	Installers Name					
	John =	Contact						



**Clatsop County Onsite Septic Program** 820 Exchange St., Suite 100 (503) 325-9302 phone (503) 325-9303 fax

EnvHealth@co.clatsop.or.us email #24-000183

# **Notice Authorizing Representative**

I, David T. Benz	, have authorized				
(Property Owner					
John Souza (Helligso Construction)	To act as my agent in performing				
(Authorized Representative – Please Print)					
the activities. necessary to obtain site evaluations, perm					
services provided by Clatsop County on the property de					
division 071. I agree that any costs not satisfied by the A	Authorized Representative are my responsibility.				
PROPERTY IDENTIFICATION					
79723 Hamlet RD, Seaside, OR 97138					
Property Situs o	or Road Address				
And described in the records of Clatson County as					
And described in the records of Clatsop County as:	300				
TownshipRangeSection					
Township Range Range Section 8  Township Range Section 8  Township Range Section 8	Tax Lot Map ID				
PROPERTY OWNER:					
Name: David and Kristy Benz Benz Living Trust	Email: bethnwgardendesign@gmail.com				
16170 SW COOPER LANE	TIGARD OR 97224				
Mail Address: 16170 SW COOPER LANE	City/State/Zip				
503-804-2740 Phone:	FAX:				
1/5000	TAA.				
Phone: Signature: Signature:	Date: 7/29/24				
<b>AUTHORIZED REPRESENTATIVE:</b>					
Name:John Souza/Helligso Construction	Email: john@helligsoconstruction.com				
PO BOX 147	Astoria OR 97103				
Mail Address: PO BOX 147	City/State/ZipAstoria, OR 97103				
503-791-4546 Phone:	EAY				
	FAX:				
Signature: John Souza	Date: 7/25/2024				
//					




**Clatsop County** Onsite Septic Program


granul 2 9 2024 Astoria, OR 97103 (503) 325-9302 phone (503) 325-9303 fax EnvHealth@co.clatsop.or.us email

# **Existing Septic System Description**

#24-000183

Please answer the following questions as completely as possible, and to the best of your knowledge.						
1.	Your existing septic system consists of (check all that apply):  Septic Tank Seepage Bed Cesspool or Pit Unknown Other (describe):					
2.	When was your septic system installed? 8-16-62 not available					
3.	Tank material:  Concrete Steel Plastic or Fiberglass Unknown					
4.	Septic tank volume (in gallons): 750					
5.	When was the septic tank last pumped? (Attach receipt if available)					
6.	Number of disposal trenches: 2					
7.	Total length of disposal trenches (in feet):					
8.	Do you propose to use the existing septic system? $\square$ Yes $\stackrel{\textstyle  imes}{}$ No					
9.	Is your septic system currently in use?  If no, date of last use:  In use until new system is installed.					
10.	If the septic system currently serves a dwelling, How many bedrooms in the dwelling? $\frac{2}{}$ How many people occupy the dwelling? $\frac{2}{}$					
11.	How many bedrooms will be in the proposed dwelling? How many occupants?2					
12.	If the septic system serves a business,					
	How many total employees are there? NA Type of business: NA					
13.	Is there a proposed change of use of your structure (home or business)?					
14.	Provide a plot plan (sketch) on the reverse side of this form showing the best estimated or actual measurements that locate the existing septic tank and disposal trenches, property lines, easements, existing structures, driveways, and water supply. Indicate the direction north. If you are proposing to replace the septic system, indicate the test hole location.					
	y signature, I certify that the above information and the plot plan on the reverse side of this form are rate and true to the best of my knowledge.					
Signa	nture: <u>Many 3. Bon</u> Date:					







Transaction Receipt
Record ID: 186-24-000183-PRMT

IVR Number: 186094809118

Clatsop County Onsite 820 Exchange Street Astoria, Oregon 97103

503-325-9302 Fax: 503-325-9303 envhealth@clatsopcounty.gov

Receipt Number: 466029

Receipt Date: 7/30/24

https://clatsopcounty.gov/publichealth/page/onsite-septic-system-program Worksite address: 79723 HAMLET RD, SEASIDE, OR 97138

Parcel: 408080000300

Fees Paid							
Transaction date	Units	Description	Account code	Fee amount	Paid amount		
7/30/24	1.00 Ea	Repair (major) - single family dwelling	81-7204	\$581.00	\$581.00		
7/30/24	1.00	GIS fee - Onsite	81-7045	\$9.00	\$9.00		
7/30/24	1.00	DEQ Surcharge	78-9934	\$100.00	\$100.00		
Payment Metho	od: Check numb	per: 19290 Payer: John Souza		Payment Amount:	\$690.00		
Cashier: Anne	tte Brodigan		Receipt Total:		\$690.00		